



# SAFE PRO GROUP

Safety with Confidence

## COMMERCIAL PRICING LIST (CPL)

EFFECTIVE DATE: 1 FEBRUARY 2026

MFR PART NO	PRODUCT NAME & LINK	PRODUCT DESCRIPTION	UOI	COMMERCIAL PRICE
SP-EOD-10A-SM	<a href="#">Complete EOD Suit</a>	Complete EOD solution including suits, jackets, pants, shin guards, helmet. Includes fully-integrated, full-body cooling and ventilation system. Includes chest plate, groin plate, helmet and visor.  SIZE: ONE SIZE (FULLY ADJUSTABLE) VARIOUS COLORS AVAILABLE UPON REQUEST	EA	\$ 25,588.00
SP-EOD-8A	<a href="#">Elite 8 Fragmentation &amp; Blast Resistant Protective Ensemble</a>	An Elite demining ensemble featuring Fragmentation and Blast Resistant Helmet + Visor, Vest and Shin Guards for 360 degrees front, sides and back protection, along with complete set of Trousers equipped with overshoes which provide 360 degrees of protection to both legs and the groin in compliance with NATO STANAG 2920 standards	EA	\$ 9,750.00
SP-DMEN-01-SM	<a href="#">Frag &amp; Blast Resistant Protective Ensemble</a>	A lightweight demining ensemble featuring Fragmentation and Blast Resistant Helmet + Visor, Vest and Shin Guards. Available in Male and Female kits.  SIZE: ONE SIZE (FULLY ADJUSTABLE) VARIOUS COLORS AVAILABLE UPON REQUEST	EA	\$ 4,824.00
SP-DMEN-01-NL	<a href="#">Frag &amp; Blast Resistant Protective Ensemble (NO LEGS)</a>	A lightweight demining ensemble featuring Fragmentation and Blast Resistant Helmet + Visor and Vest (NO LEG PROTECTION). Available in Male and Female kits.  SIZE: ONE SIZE (FULLY ADJUSTABLE) VARIOUS COLORS AVAILABLE UPON REQUEST	EA	\$ 2,949.00
SP-AF-08-SM	<a href="#">Lifeline Anti-Fragmentation Vest</a>	Fragmentation resistant vest is used in environments with risk of exposure to blasts and shrapnel arising from bombs, mines, IEDs and other explosive devices. The LifeLine AF-08 Fragmentation vest is offered in Modular Base and Optional components. The vest is FRONTAL ONLY: A) Fragmentation Vest—V50 Protection against fragments with a velocity of 450 m/sec. with 17 gr FSP in accordance with MIL-STD 662F - B) Collar/ Neck protection—Optional modular ADD-ON to the vest -C) Shoulders and upper arm protection—Optional modular ADD-ON to the vest.  SIZE: ONE SIZE (FULLY ADJUSTABLE) VARIOUS COLORS AVAILABLE UPON REQUEST	EA	\$ 1,294.00
SP-SC-001	<a href="#">Anti-fragmentation Safety Circle</a>	Anti-fragmentation Safety Circle is used to suppress the effects of shrapnel caused by detonation of explosive devices. It can be used together with the Blanket (not included) as safety equipment by security personnel for safe removal and disposal of suspicious objects which can potentially detonate during removal and cause injury and harm. The system is easy to deploy and can be deployed in less than 5 minutes by two people.	EA	\$ 876.00
SP-BB-001	<a href="#">Anti-fragmentation Blanket</a>	Anti-fragmentation Blanket is used to suppress the effects of shrapnel caused by detonation of explosive devices. It can be used together with the Safety Circle (not included) as safety equipment by security personnel for safe removal and disposal of suspicious objects which can potentially detonate during removal and cause injury and harm. Overall size of 4ft X 4ft (1.2m x 1.2m), the system is easy to deploy and can be deployed in less than 5 minutes by two people. Total blanket weight is in the range of 50 lbs. or less	EA	\$ 2,347.00



# SAFE PRO GROUP

Safety with Confidence

## COMMERCIAL PRICING LIST (CPL)

EFFECTIVE DATE: 1 FEBRUARY 2026

MFR PART NO	PRODUCT NAME & LINK	PRODUCT DESCRIPTION	UOI	COMMERCIAL PRICE
SP-LW2-III+-M	<a href="#">Hard Armor Plate NIJ Level III++ Ultra Lightweight &amp; Ultra Thin - Medium</a>	Plates are compliant to both the NIJ Standards: 0101.06 Level III++ and NIJ 0101.07 Level RF1. The plates are Ultralight, Ultra Thin and Stand Alone. Defeats 7.62 x 51 M80 NATO Ball, multiple (6) impacts, Stand Alone.  Additional Threats Defeated: Additionally this plate defeats multiple (6) impacts of the following projectile threats Stand Alone, in accordance with NIJ 0101.07 Level RF1: - 7.62 x 39 Mild Steel core - 5.56 x 45 Ball (Independently tested by NVLAP accredited, NIJ accepted and approved ballistic testing laboratory)  Shape: Small Arms Insert Plate (SAPI) Multi-curve Design. Dimensions: As per SAPI plate sizing: Medium: 9.5" x 12.5" Weight: SAPI Multi curved—Medium: 2.25 lbs. Thickness: 0.85 inch Material of Construction: Latest generation Advanced Ultra High Molecular Weight Polyethylene Hybrid Composite	EA	\$ 880.00
SP-LW2-III+-L	<a href="#">Hard Armor Plate NIJ Level III++ Ultra Lightweight &amp; Ultra Thin - Large</a>	Plates are compliant to both the NIJ Standards: 0101.06 Level III++ and NIJ 0101.07 Level RF1. The plates are Ultralight, Ultra Thin and Stand Alone. Defeats 7.62 x 51 M80 NATO Ball, multiple (6) impacts, Stand Alone.  Additional Threats Defeated: Additionally this plate defeats multiple (6) impacts of the following projectile threats Stand Alone, in accordance with NIJ 0101.07 Level RF1: - 7.62 x 39 Mild Steel core - 5.56 x 45 Ball (Independently tested by NVLAP accredited, NIJ accepted and approved ballistic testing laboratory)  Shape: Small Arms Insert Plate (SAPI) Multi-curve Design. Dimensions: As per SAPI plate sizing: Large: 13.25" x 10.25" Weight: SAPI Multi curved—Large 4.16 lbs. Thickness: 0.85 inch Material of Construction: Latest generation Advanced Ultra High Molecular Weight Polyethylene Hybrid Composite	EA	\$ 898.00
SP-LW2-III+-XL	<a href="#">Hard Armor Plate NIJ Level III++ Ultra Lightweight &amp; Ultra Thin - Extra Large</a>	Plates are compliant to both the NIJ Standards: 0101.06 Level III++ and NIJ 0101.07 Level RF1. The plates are Ultralight, Ultra Thin and Stand Alone. Defeats 7.62 x 51 M80 NATO Ball, multiple (6) impacts, Stand Alone.  Additional Threats Defeated: Additionally this plate defeats multiple (6) impacts of the following projectile threats Stand Alone, in accordance with NIJ 0101.07 Level RF1: - 7.62 x 39 Mild Steel core - 5.56 x 45 Ball (Independently tested by NVLAP accredited, NIJ accepted and approved ballistic testing laboratory)  Shape: Small Arms Insert Plate (SAPI) Multi-curve Design. Dimensions: As per SAPI plate sizing: Extra Large: 11" x 14" Weight: SAPI Multi curved—Extra Large 4.76 lbs. Thickness: 0.85 inch Material of Construction: Latest generation Advanced Ultra High Molecular Weight Polyethylene Hybrid Composite	EA	\$ 916.00



# SAFE PRO GROUP

Safety with Confidence

## COMMERCIAL PRICING LIST (CPL)

EFFECTIVE DATE: 1 FEBRUARY 2026

MFR PART NO	PRODUCT NAME & LINK	PRODUCT DESCRIPTION	UOI	COMMERCIAL PRICE
SP-ESAPI-GEN2-L	<a href="#">ESAPI Hard Armor Plate - Large</a>	<p>Safe-Pro ESAPI plates are designed to withstand three impacts of up to 7.62 x 63 mm AP M2 and six impacts of each of six additional rifle projectiles.</p> <p>Manufactured using composites of boron carbide ceramic, carbon fiber, aramid fiber and ultra-high molecular weight polyethylene.</p> <p>Sizes: Front / Back: Nominal sizes: U.S. ESAPI Large: 250 mm x 300 mm (L).</p> <p>Protection Level: NIJ 0101.06 Level IV. Stand Alone Shape: Multi curve with Shooters Cut</p> <p>Thickness: 25 mm approximately</p> <p>Weight: 2.9 Kgs. Rugged &amp; Impact Resistant, highly durable.</p> <p>Finish: Black nylon spall cover, screen printed text</p>	EA	\$ 915.00
SP-ESAPI-GEN2-M	<a href="#">ESAPI Hard Armor Plate - Medium</a>	<p>Safe-Pro ESAPI plates are designed to withstand three impacts of up to 7.62 x 63 mm AP M2 and six impacts of each of six additional rifle projectiles.</p> <p>Manufactured using composites of boron carbide ceramic, carbon fiber, aramid fiber and ultra-high molecular weight polyethylene.</p> <p>Sizes: Front / Back: Nominal sizes: U.S. ESAPI Medium: 225 mm x 275 mm (M)</p> <p>Protection Level: NIJ 0101.06 Level IV. Stand Alone Shape: Multi curve with Shooters Cut</p> <p>Thickness: 25 mm approximately</p> <p>Weight: 2.9 Kgs. Rugged &amp; Impact Resistant, highly durable</p> <p>Finish: Black nylon spall cover, screen printed text</p>	EA	\$ 760.00
SPUS-III+-03	<a href="#">Hard Armor Plate NIJ Level III+</a>	<p>Protection Level: NIJ Standard 0101.06 Level III in Conjunction With the Safe-Pro USA NIJ Level IIIA Bullet Resistant Vest. Additionally, the plate is capable of defeating multiple impacts of 7.62 x 39 MSC and Ball projectiles, 5.56 x45 M855 SS109 GREEN TIP, 7.62 X 54R LPS (Russian) DRAGUNOV; .338 LAPUA MAGNUM</p> <p>Size: 10"x 12" Shooters Cut. Shape: Single curve</p> <p>Standard Weight: 3 Kgs.</p> <p>Finish: Covered in 500D Black Cordura water resistant fabric cover. This plate is offered in Front, Back, and Side Plate configurations. Water resistant, oil resistant and salt/fog resistant</p>	EA	\$ 240.00



# SAFE PRO GROUP

Safety with Confidence

## COMMERCIAL PRICING LIST (CPL)

EFFECTIVE DATE: 1 FEBRUARY 2026

MFR PART NO	PRODUCT NAME & LINK	PRODUCT DESCRIPTION	UOI	COMMERCIAL PRICE
SPI-ASSAULT-08-IV	<a href="#">Assault Tactical Body Armor Vest w/Plates (Level III+)</a>	<p>Area of Coverage: Front, Back, Sides with Detachable Collar, Biceps and Groin Protection. Outer Carrier: 500D Cordura Multicam fabric outside and 3D Coolmax Spacer mesh lining. Ballistic Inserts: Removable soft armor ballistic inserts in Front, Back and Sides; Optional Collar, Biceps and Groin.</p> <p>Included Assault Kit with level III+ rifle resistant plates, front/back plates.</p> <p>Standard U.S. Sizing: Small: 34" Chest, 32" waist girth (WG); Medium: 38" Chest, 36" WG; Large: 42" Chest, 40" WG; X-Large: 44" Chest, 42" WG.</p> <p>Equipped with Man-Down Dorsal Drag Strap. Vest has 360-Degrees Molle System, Pockets for Front and Back 10"x 12" hard armor NIJ Level IV Size: 250 mm x 300 mm Shooters Cut rifle plates.</p> <p>Protection: Compliant NIJ Std 0101.06 Level IIIA</p>	EA	\$ 1,075.00
SP-203401-III A	<a href="#">Bullet Resistant Shield</a>	<p>Designed to meet specific end item features and performance characteristics in respect of dimensions, weight, viewing window size, lights, shape, carry handle and ballistic performance. Has Telescopic/Removable legs.</p> <p>The level of protection offered is NIJ 0108.01 IIIA projectiles and velocities.</p> <p>Weight: 16.85 lbs. without lights</p>	EA	\$ 1,570.00
SPI-TACTICAL-III-03	<a href="#">Bullet Resistant Tactical (Overt) Vest</a>	<p>NIJ 0101.06 Level IIIA for protection against 9 mm and 44 magnum bullets. With the addition of hard armor rifle plates, the protection level can be increased to NIJ Level III.</p> <p>This vest is equipped with Front and Back Hard Armor Plates NIJ 0101.06 Level III In Conjunction With the Safe-Pro NIJ Level IIIA Vest. Plate Size: 250 mm x 300 mm Shooters Cut.</p> <p>Exterior Finish: The Outer carrier of each vest is constructed of tough, water and wear resistant 420 denier ripstop nylon fabric and alternatively 500 denier Cordura fabric in black.</p> <p>Total Weight: Size Large: 5 Kgs (1 Vest + 2 Plates) Ballistic Inserts: Each vest is equipped with removable ballistic inserts, sewn inside a water-resistant nylon pouch. Material of Construction of Ballistic Insert: Kevlar / Aramid woven fabric which is high strength and durable.</p> <p>Sizes: Small, Medium, Large and X-Large</p>	EA	\$ 310.00
SP-RCW-III A-12	<a href="#">Concealable Body Armor Bullet Resistant Vest</a>	<p>Body armor is compliant to NIJ Standard 0101.06 Level IIIA</p> <p>Available Sizes: Small, Medium, Large and Extra Large</p>	EA	\$ 440.00



# SAFE PRO GROUP

Safety with Confidence

## COMMERCIAL PRICING LIST (CPL)

EFFECTIVE DATE: 1 FEBRUARY 2026

MFR PART NO	PRODUCT NAME & LINK	PRODUCT DESCRIPTION	UOI	COMMERCIAL PRICE
SP-MICH01-IIIA	<a href="#">Ballistic Helmet - MICH Style</a>	<p>Protection Levels: Full NIJ 0106.01 modified for Level IIIA for Protection against 9 mm and 44 magnum projectiles.</p> <p>Sizes: Small, Medium, Large, X-Large</p> <p>Colors: Black, Desert Tan, OD Green.</p> <p>Weight: (For Protection NIJ Level IIIA) Small: 3.30 lbs.; Medium: 3.38 lbs.; Large: 3.43 lbs.; X-Large: 3.50 lbs. Suspension: 4-Point chinstrap suspension with adjustable length and quick disconnect buckle. 7-Foam Pads: Each helmet has 7 foam pads – Crown, Front, Back, 2 on each side. Material of Construction of Shell: Aramid fabric construction.</p> <p>Material of Construction of Suspension: Nylon webbing. Edge Trim: Each helmet is equipped with a durable wear resistant edge trim &amp; a nape guard.</p> <p>Water Resistance: Each helmet is coated with epoxy resin inside and outside to impart water resistance</p>	EA	\$ 240.00
SP-XSAPI-SGH-06	<a href="#">XSAPI Armor Plate</a>	<p>Safe-Pro XSAPI plates are designed to withstand the multiple effects of up to three impacts of armor-piercing rounds as well as seven additional rifle projectiles. Materials: Composite matrix of Hot Pressed / Sintered Silicon carbide, Pre-Pregged Carbon Fiber, Aramid Fiber, Ultra-high-molecular-weight polyethylene (Spectra or Dyneema)</p> <p>Weight: 7.4 lbs.</p>	EA	\$ 1,500.00
SP-Lifeline-IV-03	<a href="#">Level IV Armor Plate</a>	<p>High-performance armor plates providing the maximum protection Compliant with NIJ 0101.06 Level IV Stand alone</p> <p>Multiple solutions available – from plate weight of 6 lbs. to plate weight of 7.5 lbs.</p> <p>This plate defeats at least six impacts of the following projectiles</p> <ul style="list-style-type: none"> <li>7.62 x 39 mm MSC</li> <li>7.62 X 39 mm Ball</li> <li>5.56 x 45 mm M855 SS109 Green Tip</li> <li>5.56 x 45 mm Ball (M193)</li> <li>7.62 X 54R LPS (Russian)</li> </ul>	EA	\$ 150.00 - 450.00